

City of Cape Town: Dam Levels Report

15 October 2018

DAM STORAGE (%)

76.0

WEEKLY DAM LEVEL CHANGE (%)

-0.2


decrease since last week

AVG DAILY WATER USAGE (FOR THE PAST WEEK) ALL WATER SOURCES (MI/d)

563


(Target 500MI/d)

Water Usage from large dams comprising the Western Cape Water Supply System



Western Cape Water Supply System (WCWSS) weekly drought monitoring

This graph depicts total dam storage against potential system risk scenarios. The previous graph monitored the dam level draw down against the 2017 rainfall conditions under different restriction levels.




Water stored in major dams comprising Western Cape Water Supply System (WCWSS)


| | STORAGE | | | | | | | |
|-----------------|----------|-----------------|---------------|---------|---------|---------|---------|--|
| MAJOR DAMS | CAPACITY | % | % | % | % | % | % | |
| | MI | 15 October 2018 | Previous week | 2017 | 2016 | 2015 | 2014 | |
| BERG RIVER | 130 010 | 99.5 | 99.4 | 66.5 | 73.4 | 89.4 | 99.3 | |
| STEENBRAS LOWER | 33 517 | 90.5 | 91.9 | 44.0 | 64.3 | 86.4 | 92.3 | |
| STEENBRAS UPPER | 31 767 | 85.0 | 87.7 | 100.0 | 92.0 | 94.7 | 101.2 | |
| THEEWATERSKLOOF | 480 188 | 58.7 | 58.8 | 27.6 | 52.5 | 76.8 | 100.1 | |
| VOËLVLEI | 164 095 | 96.6 | 96.2 | 26.6 | 71.8 | 46.6 | 99.6 | |
| WEMMERSHOEK | 58 644 | 94.3 | 95.1 | 46.0 | 66.5 | 69.2 | 94.7 | |
| TOTAL STORED | 898 221 | 682 610 | 684 030 | 336 235 | 555 256 | 661 134 | 891 825 | |
| % STORAGE | | 76.0 | 76.2 | 37.4 | 61.8 | 73.6 | 99.3 | |

NOTES:

- 1) Capacity of the major dams of the Western Cape Water Supply System is 99.6% and that of the minor dams 0.4% of the combined capacity of the major and minor dams. Kindly note that all the Major Dams show gross capacity.
- 2) All figures are for 15 October for each year except for those in the second column, which gives the figures for the previous week of this year.
- 3) The last 10% of a dam's water is difficult to use, the useable water in the dam is approximately 10% less than the dam level.




Ten year graph Indicating volume of water stored in major dams Comprising Western Cape Water Supply System (WCWSS)



Water stored in minor dams within Cape Town

| | STORAGE | | | | | | | |
|----------------------------------|----------|-----------------|---------------|-------|-------|-------|------|--|
| MINOR DAMS | CAPACITY | % | % | % | % | % | % | |
| | MI | 15 October 2018 | Previous week | 2017 | 2016 | 2015 | 2014 | |
| ALEXANDRA (Table Mountain) | 126 | 88.2 | 95.6 | 69.8 | 41.3 | 36.7 | 73.3 | |
| DE VILLIERS (Table Mountain) | 243 | 97.0 | 99.8 | 94.5 | 87.7 | 93.0 | 81.8 | |
| HELY-HUTCHINSON (Table Mountain) | 925 | 99.3 | 99.7 | 100.2 | 99.8 | 100.3 | 84.1 | |
| KLEINPLAATS (Simon's Town) | 1 368 | 99.6 | 98.4 | 65.7 | 91.0 | 85.6 | 91.5 | |
| LAND-EN-ZEEZICHT (Helderberg) | 451 | 100.0 | 100.0 | 99.4 | 69.3 | 52.8 | 0.0 | |
| LEWIS GAY (Simon's Town) | 182 | 98.5 | 100.5 | 98.7 | 96.3 | 99.0 | 63.8 | |
| VICTORIA (Table Mountain) | 128 | 99.3 | 100.4 | 100.0 | 100.0 | 101.2 | 98.9 | |
| WOODHEAD (Table Mountain) | 954 | 73.3 | 85.2 | 89.9 | 99.9 | 60.6 | 62.5 | |

Water usage from large dams comprising the Western Cape Water Supply System



The above graph tracks City of Cape Town (CCT) water usage against the Department of Water and Sanitation (DWS) restriction requirement against our unrestricted demand (or past usage).

Water Quality Sample Pass Rate

| Month | Water Quality Compliance (%) | Target (%) |
|--------|------------------------------|------------|
| Jun-17 | 99.65 | 98 |
| Jul-17 | 99.62 | 98 |
| Aug-17 | 99.59 | 98 |
| Sep-17 | 99.57 | 98 |
| Oct-17 | 99.57 | 98 |
| Nov-17 | 99.49 | 98 |
| Dec-17 | 99.44 | 98 |
| Jan-17 | 99.43 | 98 |
| Feb-18 | 99.38 | 98 |
| Mar-18 | 99.38 | 98 |
| Apr-18 | 99.26 | 98 |
| May-18 | 99.20 | 98 |
| Jun-18 | 99.07 | 98 |

Notes

This table shows CCT drinking water quality compliance according to the South African National Standard 241:2015. Compliance, measured against all prescribed chemical and microbiological components, consistently exceeds the very high CCT target of 98%. (Overall compliance percentages of continuous sampling and analysis are released on a monthly basis. The latest available is for June).

Rainfall

| RAINFALL (mm) | 08-Oct | 09-Oct | 10-Oct | 11-Oct | 12-Oct | 13-Oct | 14-Oct | Oct | |
|---------------------------|--------|----------------|-----------------------|----------------------------|---------------|----------|--------|--------|------------|
| | | | | | | | | Total* | LT Average |
| Blackheath Upper | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 2.5 | 32.0 |
| Brooklands | | | | | | | | 4.0 | 46.7 |
| Newlands | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 1.5 | 95.4 |
| Steenbras | | | | | | | 7.3 | 12.1 | 63.8 |
| Table Mountain (Woodhead) | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | | 5.5 | 107.6 |
| Theewaterskloof | | | | 3.0 | | | | 6.5 | 42.2 |
| Tygerberg | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.7 | 2.5 | 30.0 |
| Voëlvlei | | | | | | | | 0.0 | 27.7 |
| Wemmershoek | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 46.7 |
| Wynberg | | | | | | | 1.5 | 2.2 | 66.0 |
| | Nat | a. *Total/a | umu dativa ra | infall for m | anth indicate | ad abaya | | | |
| | Note | es: "I otal/ci | umulative ra ı T·ı | aıntali tor mo ong Term | onth indicate | ed above | | | |