

City of Cape Town: Dam Levels Report

20 May 2019











Disclaimer: The data depicted above is indicative and has been based on the City's own assessment of water use from the WCWSS. It is subject to official verification by the National Department of Water and Sanitation.

Water Usage from large dams comprising the Western Cape Water Supply System



Western Cape Water Supply System (WCWSS) weekly drought monitoring

This graph depicts total dam storage against potential system risk scenarios.




Water stored in major dams comprising Western Cape Water Supply System (WCWSS)


		STORAGE								
MAJOR DAMS	CAPACITY	%	%	%	%	%	%			
	MI	20 May 2019	Previous week	2018	2017	2016	2015			
BERG RIVER	130 010	69.1	68.1	39.1	31.7	27.2	53.7			
STEENBRAS LOWER	33 517	38.5	38.6	33.7	25.5	36.2	46.7			
STEENBRAS UPPER	31 767	73.8	65.0	56.2	55.7	55.7	58.4			
THEEWATERSKLOOF	480 188	35.9	36.1	12.1	14.6	30.8	50.7			
VOËLVLEI	164 095	54.6	55.4	14.4	16.4	21.3	41.6			
WEMMERSHOEK	58 644	42.0	43.6	47.5	36.1	47.3	49.8			
TOTAL STORED	898 221	412 815	411 849	189 375	185 755	275 581	445 054			
% STORAGE		46.0	45.9	21.1	20.7	30.7	49.5			

NOTES:

- 1) Capacity of the major dams of the Western Cape Water Supply System is 99.6% and that of the minor dams 0.4% of the combined capacity of the major and minor dams. Kindly note that all the Major Dams show gross capacity.
- 2) All figures are for 20 May for each year except for those in the second column, which gives the figures for the previous week of this year.
- 3) The last 10% of a dam's water is difficult to use, the useable water in the dam is approximately 10% less than the dam level.




Ten year graph Indicating volume of water stored in major dams Comprising Western Cape Water Supply System (WCWSS)




Water stored in minor dams within Cape Town

	STORAGE							
MINOR DAMS	CAPACITY %		%	%	%	%	%	
	MI	20 May 2019	Previous week	2018	2017	2016	2015	
ALEXANDRA (Table Mountain)	126	0.0	0.0	74.1	30.4	14.5	0.0	
DE VILLIERS (Table Mountain)	243	60.3	60.7	47.7	42.2	86.8	44.8	
HELY-HUTCHINSON (Table Mountain)	925	5.1	4.5	64.4	98.3	54.8	0.0	
KLEINPLAATS (Simon's Town)	1 368	43.4	44.0	37.1	39.6	30.7	26.3	
LAND-EN-ZEEZICHT (Helderberg)	451	100.0	99.0	89.3	69.0	18.6	0.0	
LEWIS GAY (Simon's Town)	182	0.0	0.0	71.0	12.2	1.5	63.8	
VICTORIA (Table Mountain)	128	4.7	4.6	18.0	69.5	0.0	0.0	
WOODHEAD (Table Mountain)	954	56.9	57.1	57.8	72.3	82.4	48.0	

Water usage from large dams comprising the Western Cape Water Supply System





CCT AVG DAILY PRODUCTION WCWSS LARGE DAMS ONLY (MI/d)

The above graph tracks City of Cape Town (CCT) water usage against the Department of Water and Sanitation (DWS) restriction requirement against our unrestricted demand (or past usage). Restriction targets have changed asof 1 December 2018. CCT has been restricted at 30% against the WCWSS approved allocation to the CCT.

Water Quality Sample Pass Rate

Month	Water Quality Compliance (%)	Target (%)
Mar-18	99.38	98
Apr-18	99.26	98
May-18	99.20	98
Jun-18	99.07	98
Jul-18	99.12	98
Aug-18	99.07	98
Sep-18	99.08	98
Oct-18	99.05	98
Nov-18	98.99	98
Dec-18	99.00	98
Jan-19	99.00	98
Feb-19	99.05	98
Mar-19	99.01	98

Notes

This table shows CCT drinking water quality compliance according to the South African National Standard 241:2015. Compliance, measured against all prescribed chemical and microbiological components, consistently exceeds the very high CCT target of 98%. (Overall compliance percentages of continuous sampling and analysis are released on a monthly basis. The latest available is for December).

Rainfall

RAINFALL (mm)	13-May	14-May	15-May	16-May	17-May	18-May	19-May	May	
								Total*	LT Average
Blackheath Upper	0.0	0.0	0.0	0.0	0.0	0.0	15.5	19.5	63.2
Brooklands		0.0	0.0		0.0		30.0	36.0	116.0
Newlands	0.0	0.0	0.0	0.0	0.0	0.0	66.0	100.8	233.6
Steenbras		0.0	0.0	0.0	0.0		29.3	34.3	114.1
Table Mountain (Woodhead)	0.0	0.0	0.0	0.0	0.0	0.0		29.0	186.2
Theewaterskloof		0.0	0.0		0.0		13.1	13.1	42.7
Tygerberg	0.0	0.7	0.0	0.0	0.0	0.0	23.2	32.6	60.4
Voëlvlei		0.0	0.0		0.0		20.0	31.9	67.3
Wemmershoek	0.0	0.0	0.0	0.0	0.0	0.0	62.0	76.8	109.0
Wynberg		0.0	0.0		0.0		65.0	74.6	147.0
	Note	es: *Total/c	umulative ra	ainfall for m	onth indicate	ed above			