










Headline Statistics



Water Production from Different Sources



Overall Water Usage Trend (2010 - Present)



WCWSS means Western Cape Water Supply System

MLD means million litres per day

More information on Water Saving and Restrictions is available on the City of Cape Town's 'ThinkWater' website


Water Stored in Major Dams (WCWSS)

Overall Percentage Full **100.5%**


Weekly Change **-0.3%**

MAJOR DAMS (WCWSS)	STORAGE						
	CAPACITY	%	%	%	%	%	%
	MI	12 October 2020	Previous week	2019	2018	2017	2016
BERG RIVER	130 010	100.2	100.7	99.1	99.6	66.7	73.4
STEENBRAS LOWER	33 517	99.8	101.0	95.1	91.5	44.6	65.3
STEENBRAS UPPER	31 767	97.4	99.5	84.2	84.9	100.2	92.8
THEEWATERSKLOOF	480 188	101.6	101.7	70.8	58.7	28.0	52.8
VOËLVLEI	164 095	98.7	99.0	88.2	96.6	26.6	71.7
WEMMERSHOEK	58 644	98.9	99.3	91.6	94.3	45.9	67.2
TOTAL STORED	898 221	902 419	905 292	725 662	683 068	338 437	557 288
% STORAGE		100.5%	100.8%	80.8%	76.0%	37.7%	62.0%




WCWSS Storage Record (2008 - Present)



WCWSS Comparative Storage Graph (5 Years)



WCWSS Dam Storage and Water Use Tracking



Water Stored in Minor Dams

Overall Percentage Full **96.6**

Weekly Change **-1.09**

MINOR DAMS	STORAGE						
	CAPACITY	%	%	%	%	%	%
	MI	12 October 2020	Previous week	2019	2018	2017	2016
ALEXANDRA (Table Mountain)	126	94.9	99.3	51.2	91.2	71.4	42.0
DE VILLIERS (Table Mountain)	243	100.2	99.8	99.5	97.9	94.6	89.0
HELY-HUTCHINSON (Table Mount)	925	99.5	99.7	100.3	99.7	100.2	100.7
KLEINPLAATS (Simon's Town)	1 368	100.2	98.9	80.8	99.6	66.5	91.5
LAND-EN-ZEEZICHT (Helderberg)	451	96.0	95.3	82.7	100.0	99.7	69.4
LEWIS GAY (Simon's Town)	182	93.6	100.9	62.0	99.8	96.3	99.0
VICTORIA (Table Mountain)	128	100.0	100.8	99.6	100.0	100.0	100.4
WOODHEAD (Table Mountain)	954	93.7	98.8	99.2	78.7	89.3	99.8
Total Stored	4 377	4228.0	4275.7	3858.4	4096.6	3730.4	3968.9
Percentages stored		96.6	97.7	88.2	93.6	85.2	90.7


Rainfall Recorded

RAINFALL (mm)	06-Oct	07-Oct	08-Oct	09-Oct	10-Oct	11-Oct	12-Oct	Oct	
								Total*	LT Average
Blackheath Upper	0.0	0.0	0.3	1.0	0.0	0.0		1.3	26.8
Brooklands	0.0	0.0	0.0	6.0	0.0	0.0		25.0	47.7
Newlands	0.0	0.0	2.0	2.0	0.0	0.0		11.0	72.2
Steenbras	0.0	0.0	4.0	3.0	0.0	0.0		28.7	55.4
Table Mountain (Woodhead)	0.0	0.0	8.5	1.0	0.0			32.5	83.7
Theewaterskloof	0.0	0.0	4.8	7.2	0.0	0.0		45.9	44.1
Tygerberg	0.0	0.0	0.0	0.0	0.0	0.0		1.2	28.9
Voëlvlei	0.0	0.0	0.0	0.0	0.0	0.0		2.0	26.7
Wemmershoek	0.0	0.0	0.0	0.6	0.0	0.0		9.9	43.0
Wynberg	0.0	0.0	0.0	3.0	0.0	0.0		8.0	51.1

Notes: *Total/cumulative rainfall for month indicated above
LT: Long Term

Accumulated Monthly Rainfall at Wemmershoek

Note: Wemmershoek station used due to long record and mountaneous location



Drinking Water Quality

SAMPLE PASS RATE

Month	Water Quality Compliance (%)	Target (%)
Jul-19	99.04	98
Aug-19	99.02	98
Sep-19	98.99	98
Oct-19	99.03	98
Nov-19	99.14	98
Dec-19	99.09	98
Jan-20	99.07	98
Feb-20	99.08	98
Mar-20	99.17	98
Apr-20	99.16	98
May-20	99.20	98
Jun-20	99.19	98
Jul-20	99.22	98
Aug-20	99.21	98
Sep-20	99.20	98

Notes:

This table shows CCT drinking water quality compliance according to the South African National Standard 241:2015. Compliance, measured against all prescribed chemical and microbiological components, consistently exceeds the very high CCT target of 98%. (Overall compliance percentages of continuous sampling and analysis are released on a monthly basis.