










## Headline Statistics



## Water Production from Different Sources



## Overall Water Usage Trend (2010 - Present)



WCWSS means Western Cape Water Supply System

MLD means million litres per day

More information on Water Saving and Restrictions is available on the City of Cape Town's 'ThinkWater' website


# Water Stored in Major Dams (WCWSS)

Overall Percentage Full **99.9%**


Weekly Change **-0.6%**

MAJOR DAMS (WCWSS)	STORAGE						
	CAPACITY	%	%	%	%	%	%
	MI	19 October 2020	Previous week	2019	2018	2017	2016
BERG RIVER	130 010	100.0	100.2	98.1	99.5	67.5	73.3
STEENBRAS LOWER	33 517	97.8	99.8	92.8	89.7	44.7	63.2
STEENBRAS UPPER	31 767	95.9	97.4	78.4	81.9	101.0	90.6
THEEWATERSKLOOF	480 188	101.2	101.6	69.9	58.8	27.8	52.2
VOËLVLEI	164 095	97.9	98.7	87.5	96.7	27.3	71.8
WEMMERSHOEK	58 644	98.1	98.9	91.4	93.4	47.1	65.5
<b>TOTAL STORED</b>	<b>898 221</b>	<b>897 333</b>	<b>902 419</b>	<b>716 354</b>	<b>681 308</b>	<b>340 465</b>	<b>552 030</b>
<b>% STORAGE</b>		<b>99.9%</b>	<b>100.5%</b>	<b>79.8%</b>	<b>75.9%</b>	<b>37.9%</b>	<b>61.5%</b>




## WCWSS Storage Record (2008 - Present)



## WCWSS Comparative Storage Graph (5 Years)



# WCWSS Dam Storage and Water Use Tracking



## Water Stored in Minor Dams

Overall Percentage Full **93.9**

Weekly Change **-2.74**

MINOR DAMS	STORAGE						
	CAPACITY	%	%	%	%	%	%
	MI	19 October 2020	Previous week	2019	2018	2017	2016
ALEXANDRA (Table Mountain)	126	86.9	94.9	49.3	84.5	69.3	40.8
DE VILLIERS (Table Mountain)	243	99.8	100.2	99.3	95.5	96.4	87.7
HELY-HUTCHINSON (Table Mount)	925	99.2	99.5	99.3	98.8	100.3	100.0
KLEINPLAATS (Simon's Town)	1 368	99.8	100.2	79.2	98.4	67.7	89.1
LAND-EN-ZEEZICHT (Helderberg)	451	95.8	96.0	81.5	100.0	100.0	70.6
LEWIS GAY (Simon's Town)	182	95.4	93.6	56.4	97.2	97.2	91.1
VICTORIA (Table Mountain)	128	99.6	100.0	98.9	98.9	100.4	100.0
WOODHEAD (Table Mountain)	954	83.2	93.7	95.6	67.0	95.7	99.8
<b>Total Stored</b>	<b>4 377</b>	<b>4108.3</b>	<b>4228.0</b>	<b>3775.4</b>	<b>3942.3</b>	<b>3814.4</b>	<b>3919.4</b>
<b>Percentages stored</b>		<b>93.9</b>	<b>96.6</b>	<b>86.3</b>	<b>90.1</b>	<b>87.1</b>	<b>89.5</b>


# Rainfall Recorded

RAINFALL (mm)	13-Oct	14-Oct	15-Oct	16-Oct	17-Oct	18-Oct	19-Oct	Oct	
								Total*	LT Average
Blackheath Upper	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	26.8
Brooklands	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.0	47.7
Newlands	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.0	72.2
Steenbras	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33.7	55.4
Table Mountain (Woodhead)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32.5	83.7
Theewaterskloof	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45.9	44.1
Tygerberg	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	28.9
Voëlvlei	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	26.7
Wemmershoek	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.9	43.0
Wynberg	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.0	51.1

Notes: \*Total/cumulative rainfall for month indicated above  
LT: Long Term

# Accumulated Monthly Rainfall at Wemmershoek

Note: Wemmershoek station used due to long record and mountaineous location



## Drinking Water Quality

### SAMPLE PASS RATE

Month	Water Quality Compliance (%)	Target (%)
Jul-19	99.04	98
Aug-19	99.02	98
Sep-19	98.99	98
Oct-19	99.03	98
Nov-19	99.14	98
Dec-19	99.09	98
Jan-20	99.07	98
Feb-20	99.08	98
Mar-20	99.17	98
Apr-20	99.16	98
May-20	99.20	98
Jun-20	99.19	98
Jul-20	99.22	98
Aug-20	99.21	98
Sep-20	99.20	98

#### Notes:

This table shows CCT drinking water quality compliance according to the South African National Standard 241:2015. Compliance, measured against all prescribed chemical and microbiological components, consistently exceeds the very high CCT target of 98%. (Overall compliance percentages of continuous sampling and analysis are released on a monthly basis.)