





Headline Statistics



Water Production from Different Sources



Overall Water Usage Trend (2010 - Present)



WCWSS means Western Cape Water Supply System

MLD means million litres per day

More information on Water Saving and Restrictions is available on the City of Cape Town's 'ThinkWater' website


Water Stored in Major Dams (WCWSS)

Overall Percentage Full **75.5%**


Weekly Change **1.0%**

MAJOR DAMS (WCWSS)	STORAGE						
	CAPACITY	%	%	%	%	%	%
	MI	31 May 2021	Previous week	2020	2019	2018	2017
BERG RIVER	130 010	86.1	84.0	69.5	70.7	44.7	30.7
STEENBRAS LOWER	33 517	62.4	62.6	48.2	40.2	34.5	23.5
STEENBRAS UPPER	31 767	58.4	57.2	97.1	64.5	58.7	55.9
THEEWATERSKLOOF	480 188	81.0	80.3	52.0	36.8	15.9	13.6
VOËLVLEI	164 095	61.4	60.2	49.9	55.1	18.7	14.3
WEMMERSHOEK	58 644	62.9	62.9	42.4	41.1	51.8	35.8
TOTAL STORED	898 221	677 739	669 467	493 707	417 309	225 556	175 130
% STORAGE		75.5%	74.5%	55.0%	46.5%	25.1%	19.5%




WCWSS Storage Record (2008 - Present)



WCWSS Comparative Storage Graph



WCWSS Dam Storage and Water Use Tracking



Water Stored in Minor Dams

Overall Percentage Full **50.9**

Weekly Change **2.15**

MINOR DAMS	STORAGE						
	CAPACITY	%	%	%	%	%	%
	MI	31 May 2021	Previous week	2020	2019	2018	2017
ALEXANDRA (Table Mountain)	126	9.6	6.8	42.0	0.0	88.2	30.3
DE VILLIERS (Table Mountain)	243	61.7	58.2	100.5	65.2	55.2	41.4
HELY-HUTCHINSON (Table Mount)	925	42.9	32.7	41.3	17.5	81.5	98.5
KLEINPLAATS (Simon's Town)	1 368	44.9	45.4	36.2	42.9	37.0	39.8
LAND-EN-ZEEZICHT (Helderberg)	451	69.9	69.5	63.5	96.5	90.9	69.1
LEWIS GAY (Simon's Town)	182	61.1	58.4	13.5	0.0	77.1	13.7
VICTORIA (Table Mountain)	128	16.9	11.5	90.8	8.9	26.5	68.5
WOODHEAD (Table Mountain)	954	66.1	68.1	99.9	59.3	64.6	72.1
Total Stored	4 377	2229.0	2135.0	2546.4	1911.4	2697.9	2695.2
Percentages stored		50.9	48.8	58.2	43.7	61.6	61.6


Rainfall Recorded

RAINFALL (mm)	25-May	26-May	27-May	28-May	29-May	30-May	31-May	May	
								Total*	LT Average
Blackheath Upper	0.0	0.0	0.0	1.5	2.0	2.0		104.5	55.7
Brooklands	0.0	0.0	10.0	4.0	0.0	5.0		114.0	107.1
Newlands	0.0	0.0	48.5	18.5	3.5	3.0		240.2	210.0
Steenbras	0.0	0.0	3.7	3.0	8.0	3.6		171.8	116.9
Table Mountain (Woodhead)	0.0	0.0	28.5	13.0	1.0			246.9	188.7
Theewaterskloof	0.0	0.0	1.6	0.0	2.4	0.6		172.0	48.5
Tygerberg	0.0	0.0	9.7	1.7	2.0	5.8		98.4	60.0
Voëlvlei	0.1	0.0	0.1	5.5	1.5	0.0		116.3	69.2
Wemmershoek	0.0	0.0	8.3	4.0	5.1	3.2		195.5	120.1
Wynberg	0.0	0.0	19.0	40.0	0.0	7.5		139.1	142.8

Notes: *Total/cummulative rainfall for month indicated above
LT: Long Term

Accumulated Monthly Rainfall at Wemmershoek

Note: Wemmershoek station used due to long record and mountainous location



Drinking Water Quality

SAMPLE PASS RATE

Month	Water Quality Compliance (%)	Target (%)
Feb-20	99.08	98
Mar-20	99.17	98
Apr-20	99.16	98
May-20	99.20	98
Jun-20	99.19	98
Jul-20	99.22	98
Aug-20	99.21	98
Sep-20	99.20	98
Oct-20	99.17	98
Nov-20	99.17	98
Dec-20	99.14	98
Jan-21	99.16	98
Feb-21	99.12	98
Mar-21	99.08	98
Apr-21	99.07	98

Notes:

This table shows CCT drinking water quality compliance according to the South African National Standard 241:2015. Compliance, measured against all prescribed chemical and microbiological components, consistently exceeds the very high CCT target of 98%. (Overall compliance percentages of continuous sampling and analysis are released on a monthly basis.)