






Headline Statistics



Water Production from Different Sources



Overall Water Usage Trend (2010 - Present)



WCWSS means Western Cape Water Supply System

MLD means million litres per day

More information on Water Saving and Restrictions is available on the City of Cape Town's 'ThinkWater' website


Water Stored in Major Dams (WCWSS)

Overall Percentage Full **98.8%**


Weekly Change **-0.7%**

MAJOR DAMS (WCWSS)	STORAGE						
	CAPACITY	%	%	%	%	%	%
	MI	15 November 2021	Previous week	2020	2019	2018	2017
BERG RIVER	130 010	99.9	100.2	100.2	99.9	98.1	66.9
STEENBRAS LOWER	33 517	92.1	93.9	96.3	96.5	82.9	52.5
STEENBRAS UPPER	31 767	99.1	98.3	90.3	93.1	64.7	101.3
THEEWATERSKLOOF	480 188	100.0	100.7	101.0	74.9	56.9	25.0
VOËLVLEI	164 095	97.4	98.0	96.2	89.7	93.6	27.0
WEMMERSHOEK	58 644	94.0	95.3	100.0	93.4	89.4	49.3
TOTAL STORED	898 221	887 299	893 456	892 512	753 476	655 202	329 948
% STORAGE		98.8%	99.5%	99.4%	83.9%	72.9%	36.7%




WCWSS Storage Record (2008 - Present)



WCWSS Comparative Storage Graph



WCWSS Dam Storage and Water Use Tracking



Water Stored in Minor Dams

Overall Percentage Full **82.8**

Weekly Change **-2.37**

MINOR DAMS	STORAGE						
	CAPACITY	%	%	%	%	%	%
	MI	15 November 2021	Previous week	2020	2019	2018	2017
ALEXANDRA (Table Mountain)	126	58.4	61.2	80.8	69.4	68.0	63.3
DE VILLIERS (Table Mountain)	243	60.6	66.4	99.7	99.5	84.1	87.2
HELY-HUTCHINSON (Table Mount)	925	90.6	99.8	91.8	100.2	96.8	99.8
KLEINPLAATS (Simon's Town)	1 368	96.9	96.9	99.8	85.2	91.2	63.5
LAND-EN-ZEEZICHT (Helderberg)	451	100.0	100.0	97.3	86.5	99.5	100.0
LEWIS GAY (Simon's Town)	182	88.2	91.7	91.2	64.0	88.0	82.4
VICTORIA (Table Mountain)	128	98.9	100.4	99.6	100.8	92.3	99.6
WOODHEAD (Table Mountain)	954	57.7	56.9	73.3	80.1	67.2	91.0
Total Stored	4 377	3622.4	3726.1	3937.7	3779.3	3755.7	3654.0
Percentages stored		82.8	85.1	90.0	86.3	85.8	83.5


Rainfall Recorded

RAINFALL (mm)	09-Nov	10-Nov	11-Nov	12-Nov	13-Nov	14-Nov	15-Nov	Nov	
								Total*	LT Average
Blackheath Upper	0.0	0.0	0.0	0.0	0.0	0.0		19.6	27.1
Brooklands	0.0	0.0	0.0	0.0	0.0	0.0		27.0	50.8
Newlands	0.0	0.0	0.0	0.0	0.0	0.0		21.5	60.3
Steenbras	0.0	0.0	0.0	0.0	0.0	0.0		28.7	49.3
Table Mountain (Woodhead)	0.0	0.0	0.0	0.0	0.0	0.0		29.5	69.0
Theewaterskloof	0.0	0.0	0.0	0.0	0.0	0.0		8.6	36.4
Tygerberg	0.0	0.0	0.0	0.0	0.0	0.0		14.7	24.5
Voëlvllei	0.0	0.0	0.0	0.0	0.0	0.0		8.0	29.0
Wemmershoek	0.0	0.0	0.0	0.0	0.0	0.0		26.0	39.8
Wynberg	0.0	0.0	0.0	0.0	0.0	0.0		19.5	44.9

Notes: *Total/cummulative rainfall for month indicated above
LT: Long Term

Accumulated Monthly Rainfall at Wemmershoek

Note: Wemmershoek station used due to long record and mountainous location



Drinking Water Quality

SAMPLE PASS RATE

Month	Water Quality Compliance (%)	Target (%)
Jul-20	99.22	98
Aug-20	99.21	98
Sep-20	99.20	98
Oct-20	99.17	98
Nov-20	99.17	98
Dec-20	99.14	98
Jan-21	99.16	98
Feb-21	99.12	98
Mar-21	99.08	98
Apr-21	99.07	98
May-21	98.98	98
Jun-21	99.11	98
Jul-21	99.10	98
Aug-21	99.12	98
Sep-21	99.09	98

Notes:

This table shows CCT drinking water quality compliance according to the South African National Standard 241:2015. Compliance, measured against all prescribed chemical and microbiological components, consistently exceeds the very high CCT target of 98%. (Overall compliance percentages of continuous sampling and analysis are released on a monthly basis.