






Headline Statistics



Water Production from Different Sources



Overall Water Usage Trend (2010 - Present)



WCWSS means Western Cape Water Supply System

MLD means million litres per day

More information on Water Saving and Restrictions is available on the City of Cape Town's 'ThinkWater' website


Water Stored in Major Dams (WCWSS)

Overall Percentage Full **97.6%**


Weekly Change **-0.5%**

MAJOR DAMS (WCWSS)	STORAGE						
	CAPACITY	%	%	%	%	%	%
	MI	13 December 2021	Previous week	2020	2019	2018	2017
BERG RIVER	130 010	100.1	100.2	97.5	95.1	94.3	63.2
STEENBRAS LOWER	33 517	91.6	90.9	92.9	87.4	74.5	54.9
STEENBRAS UPPER	31 767	98.4	100.3	83.5	98.7	71.4	99.9
THEEWATERSKLOOF	480 188	99.2	99.7	97.6	70.3	53.3	20.9
VOËLVLEI	164 095	94.6	95.1	91.9	83.9	88.2	24.4
WEMMERSHOEK	58 644	90.5	91.3	96.5	85.5	82.5	51.7
TOTAL STORED	898 221	876 627	880 899	860 432	709 828	619 151	302 811
% STORAGE		97.6%	98.1%	95.8%	79.0%	68.9%	33.7%



WCWSS Storage Record (2008 - Present)



WCWSS Comparative Storage Graph



WCWSS Dam Storage and Water Use Tracking



Water Stored in Minor Dams

Overall Percentage Full **81.6**

Weekly Change **1.53**

MINOR DAMS	STORAGE						
	CAPACITY	%	%	%	%	%	%
	MI	13 December 2021	Previous week	2020	2019	2018	2017
ALEXANDRA (Table Mountain)	126	68.0	54.6	67.1	53.5	58.0	54.4
DE VILLIERS (Table Mountain)	243	55.0	50.5	83.3	98.4	68.8	80.0
HELY-HUTCHINSON (Table Mount)	925	87.1	78.0	65.2	97.5	100.0	98.6
KLEINPLAATS (Simon's Town)	1 368	94.7	94.7	96.9	85.2	84.2	58.6
LAND-EN-ZEEZICHT (Helderberg)	451	98.3	98.8	95.8	90.4	100.0	100.0
LEWIS GAY (Simon's Town)	182	71.5	76.0	82.6	31.4	76.4	85.7
VICTORIA (Table Mountain)	128	91.6	101.2	96.6	94.3	91.2	99.3
WOODHEAD (Table Mountain)	954	63.4	65.9	62.7	81.0	74.6	91.5
Total Stored	4 377	3569.6	3502.7	3469.6	3694.2	3694.8	3559.2
Percentages stored		81.6	80.0	79.3	84.4	84.4	81.3


Rainfall Recorded

RAINFALL (mm)	07-Dec	08-Dec	09-Dec	10-Dec	11-Dec	12-Dec	13-Dec	Dec	
								Total*	LT Average
Blackheath Upper	0.0	0.0	0.0	0.0	0.0	0.0		4.0	13.0
Brooklands	0.0	0.0	0.0	0.0	0.0	0.0		24.0	26.9
Newlands	0.0	0.0	0.0	0.0	0.0	0.0		19.0	47.9
Steenbras	0.0	0.0	0.0	0.0	0.0	0.0		10.5	36.4
Table Mountain (Woodhead)	0.0	0.0	0.0	0.0	0.0	0.0		94.0	63.0
Theewaterskloof	0.0	0.0	0.0	0.0	0.0	0.0		25.4	20.3
Tygerberg	0.0	0.0	0.0	0.0	0.0	0.0		8.3	10.2
Voëlvllei	0.0	0.0	0.0	0.0	0.0	0.0		38.0	13.0
Wemmershoek	0.0	0.0	0.0	0.0	0.0	0.0		12.3	26.7
Wynberg	0.0	0.0	0.0	0.0	0.0	0.0		23.0	22.0

Notes: *Total/cummulative rainfall for month indicated above
LT: Long Term

Accumulated Monthly Rainfall at Wemmershoek

Note: Wemmershoek station used due to long record and mountainous location



Drinking Water Quality

SAMPLE PASS RATE

Month	Water Quality Compliance (%)	Target (%)
Aug-20	99.21	98
Sep-20	99.20	98
Oct-20	99.17	98
Nov-20	99.17	98
Dec-20	99.14	98
Jan-21	99.16	98
Feb-21	99.12	98
Mar-21	99.08	98
Apr-21	99.07	98
May-21	98.98	98
Jun-21	99.11	98
Jul-21	99.10	98
Aug-21	99.12	98
Sep-21	99.09	98
Oct-21	99.11	98

Notes:

This table shows CCT drinking water quality compliance according to the South African National Standard 241:2015. Compliance, measured against all prescribed chemical and microbiological components, consistently exceeds the very high CCT target of 98%. (Overall compliance percentages of continuous sampling and analysis are released on a monthly basis.